



2017




北京东方雨虹防水技术股份有限公司
BEIJING ORIENTAL YUHONG WATERPROOF TECHNOLOGY CO., LTD.



2017

.....

.....



2017

“

”

——

“

”

“

”

“

”

”

“

”

”

——

”

“

”


”

”

”

“

”






2017

1995

“


”







2017



2017



2017

”

”

240

2017


52




”

”

200





2017

PMA

/

1

2

W

|



2017

WYR\$B!






2017

}


2017 6 7
2017

300 10 20
45.28%



2017

6	A	2016	2014
		"	"
189		822	" "
		22.99%	
2017			
79.31	5	2017	
8.66			
5 25	" 2017		
"			2017
		" 2017	
	5 "		
12 7	"	" 2017	
	" 2016-2017		"
20	"	"	20
2017 6 30		"	"
		" "	2016 9
23			



2017

I SO9000

I SO9001

I SO14001

GB/T28001

CNAS

CMA

3C

CE

FM

GOST - R

"

"

11 29

EFQM

"


2017 1

"

"

"






2017


	SPU-301	1310
--	---------	------

2017



2017

102.93



2017

“ ” “ ”

“ ”

2000

2017 ，

， SRM



2017



2017

64

25





2017

2017			100	
2000	7	2	2	
7		80		5
	3			




2017

2017

“

”



6 19

CTO

"

"

"

"

11 29

12 5

Kondrashchenko Val ery I vanovi ch

Kondrashchenko Val ery I vanovi ch

"

"

Kondrashchenko Val ery I vanovi ch

12 26

"

"

	2015	2016	2017
	53.04	70.00	102.93




2017


	2.51	3.17	4.69
	4.74%	4.53%	4.56%

4.69

4.56%



2017



1000

2017

-	
-	
-	PCG-100
-	PCG-200
-	



2017

2017



2018

"


Hotterman"


"

"



5





2017

	96
	117
	91
	128
	69
	44
	86
	34
	67
	43

6 29

2016

"

"

12 1

2017

"


"

"

"

1.

CE CTC CRCC



2.

3.

4.

5.

100%

6.


10 31

9

BI M

"





2017

3.

4.

5.

“

”

6.

12 8

2017

12 20


“


”



2017

5





2017

6. 1.2

2000

7.

8.

31.680

54.351

86.031

9.

2000 /

10.

11.


12.

13.

"


"

		221.32	
8.6		85.15	
		13	
		225	2017




2017

2



2017





2017

"

"

2017

,


500

"

"

	1614	23%
	1324	19%
	1961	28%
	203	3%
	1896	27%
	6998	100%

	242	3%



2017

	2919	42%
	3837	55%
	6998	100%

465 6.08%


2017

23.11%
30%

"

"

100% " 3.8"



2013 " " 2014 ,
 2015 ,
 , 13 21.4 2015
 , 18 40 2016
 2017 , 43


" "

2017

100%

"

"




2017

2017

6

16



2017



2017

"

"

2017




2017

2017

2017

e 3"



2017

ELN


2017

2017 12


2573



2017



2017



3 8

" 2017

"


"

"

" 2017

"

2017





建立畅通全员职业生涯发展通道

Establish Smooth and Whole-Staff Career Development Channel



“ ”





2017


“ ”


2009 “ ” 2017

12 31 482 20

+ 2 BTV

8 1 90






8 23

TPO

TPO





1 29


— —

"

"

" 2017


"



9 1

9000

50



2017



2016 11 St Francis Hospital
B

2017 12 29

2018 1 31


40

" "

50




2017




2017

		2
		3-5
		6 11-12
		6-11
		1
		13-18
		14

		17-18
		17 19-20
		21
		18
		32-33
		36-37
		38



		35
		37
		37
		19-20 32-33
		13-15
		19
		35-40
		18
		41
		42
		46
		47-52
		42
		42
		18
		43
		42-43




	42
	43
	46-47
	18
	53
	3



2017

		19-20
		32



2017

1.				
2.				
3.				
4.				
5.				
6.				
7.				
010- 58102212		df yhgf vx		
4				